



Latest Innovations

Innovative solutions developed across all areas of technology.

Product Catalogue

Vibro Feeder F

SE-VFX-200

Technological Advantages

Across All Markets and Sectors

SE-VFX VIBRO FEEDER- APPLICATION OVERVIEW


The SE-VFX Vibro Feeder is designed for the controlled and continuous feeding of granular and powder materials in installations where floor space is limited. This model is specifically engineered for ceiling-mounted operation and is directly installed under filtration systems to collect flour passing through filters and feed it into pneumatic conveying lines or processing equipment. By operating with a precisely balanced vibration mechanism, the SE-VFX Vibro Feeder ensures smooth, uniform, and uninterrupted material flow. Its overhead mounting design provides significant space savings while maintaining high feeding accuracy. Engineered for continuous industrial operation, the SE-VFX Vibro Feeder offers reliable performance, low energy consumption, and easy integration into modern milling and grain processing plants.

FEATURES & ADVANTAGES

- ▶ Ceiling-mounted design for maximum floor space saving
- ▶ Direct installation under filtration systems
- ▶ Controlled vibration system for precise material feeding
- ▶ Ensures continuous and uniform product flow
- ▶ Prevents clogging and material accumulation
- ▶ Compact and lightweight structure for overhead mounting
- ▶ Low-noise operation suitable for continuous use
- ▶ Energy-efficient operation with low power consumption
- ▶ Robust construction for long service life





APPLICATION FIELDS

- ▶ Flour mills
- ▶ Semolina plants
- ▶ Whole wheat flour mills
- ▶ Bread crumb (galeta) mills
- ▶ Corn flour mills
- ▶ Pasta production facilities
- ▶ Grain and cereal processing plants



Technical Table

Vibro Feeder



MODEL MODELE	DIMENSIONS mm.									TECHNICAL FEATURES CARACTERISTIQUES TECHNIQUES			
	A	B	C	D	E	F	øH	øI	ØJ	Motor Moteur Kw	Weights - Poids Kg		Gross volume Volume sous emballage m³
											Net	Gross-Brut	
SE-VFX-200	1234	913	1452	1650 1750 1850	965	620	150	120	150	0,18	145	200	3,6

SEDIROGLU GROUP DELIVERS COMPLETE SOLUTIONS ACROSS VARIOUS INDUSTRIES, COMBINING DEEP TECHNICAL EXPERTISE WITH A DIVERSE AND EXTENSIVE PRODUCT RANGE TO MEET A WIDE SPECTRUM OF CUSTOMER NEEDS.

FACING A DEVELOPMENT CHALLENGE? WE PROVIDE THE SOLUTION.
AT SEDIROGLU GROUP, OUR EXPERIENCED R&D TEAM IS COMMITTED TO CONTINUOUS IMPROVEMENT.
MANY INDUSTRY INNOVATIONS HAVE ORIGINATED FROM OUR COMPANY.
WE ARE DRIVEN BY A FORWARD-THINKING MINDSET AND A PIONEERING SPIRIT IN EVERY STEP WE TAKE.

CONTACT – WORLDWIDE

With 12 branches around the world and marketing teams in over 70 countries, we provide you with outstanding service worthy of a technology leader.

We look forward to hearing from you!

<https://sediroglugroup.com/contact>



AT YOUR SERVICE 24/7 – OUR VIRTUAL BOOTH

With impressive features like animated shots, clickable hotspots, and rotatable 3D models, we are confident our online presentations will truly impress you.

<https://sediroglugroup.com/products>



DISCOVER MORE ABOUT THIS PRODUCT

Scan the QR code to access detailed technical specifications, application insights, high-quality visuals, and interactive digital content related to this product.

<https://sediroglugroup.com/products/vibro-feeder>



HEAD OFFICE:
SEDIROGLU GROUP
Turkey, Çorum
T +90 541 620 03 22
E Mail : info@sediroglu.com
E Mail : info@sediroglugroup.com

www.sediroglugroup.com

Sediroglu
GROUP machine