

## Latest Innovations

Innovative solutions developed across all areas of technology.

Product Catalogue

Granular Product Packing Machine 25-50 Kg  
Double Filling-Double Spout

SE-PRF-25/50

# Technological Advantages

## Across All Markets and Sectors

### GRANULAR PRODUCT PACKING MACHINE 25-50 KG DOUBLE FILLING DOUBLE SPOUT- APPLICATION OVERVIEW


The SE-PRF 25-50 Granular Product Packing Machine (Double Filling - Double Spout) by Sediroglu Group is a high-capacity industrial bagging solution designed for maximum efficiency, flexibility, and continuous operation. It is specially developed for production facilities that require simultaneous packaging of two different granular products or product grades within a single integrated system. Equipped with two independent filling systems and dual discharge spouts, this machine allows parallel operation, enabling two separate materials to be weighed and packed at the same time. For example, one side can handle wheat while the other processes corn, or premium and standard product grades can be packaged simultaneously without interruption. The SE-PRF 25-50 ensures stable, high-speed performance with advanced weighing technology and precise pneumatic control. Each filling unit operates independently, maintaining high accuracy and consistent bag quality even under continuous industrial operation. Built with chrome and HRP vibration-resistant steel construction, the machine guarantees long service life, durability, and stable performance in heavy-duty industrial environments. Its modular structure allows easy maintenance, quick part replacement, and seamless integration into existing production lines. With its dual-product capability and high-speed operation, the SE-PRF 25-50 significantly increases production efficiency, reduces space requirements, and minimizes operational costs, making it an ideal solution for modern industrial packaging facilities.

#### FEATURES & ADVANTAGES

- ▶ Double filling system for simultaneous operation
- ▶ Double spout design for parallel bag discharge
- ▶ Ability to package two different products at the same time
- ▶ Increased production capacity and efficiency
- ▶ Reduced labor and operational costs
- ▶ Heavy-duty chrome & HRP vibration-resistant structure
- ▶ Modular design for easy maintenance and expansion
- ▶ Stable, low-vibration industrial operation
- ▶ Hygienic construction suitable for industrial use
- ▶ Advanced pneumatic and control system integration

#### APPLICATION FIELDS

- ▶ Grain processing plants (wheat, barley, corn, oats)
- ▶ Food production facilities (rice, sugar, salt, legumes)
- ▶ Feed production facilities
- ▶ Seed cleaning and packaging plants
- ▶ Plastic and polymer manufacturing industries
- ▶ Chemical and detergent production plants
- ▶ Industrial bulk material packaging systems
- ▶ Multi-product processing facilities




# Technical Table

## Granular Product Packing Machine 25-50 Kg Double Filling Double Spout


- 1- Entrée de produit
- 2- Tuyaux de Sortie d'Aspiration
- 3- Colonne de Montage de Machine à Coudre
- 4- Sortie de produit
- 5- Système de Secouage de Sac
- 6- Fil à Coudre pour Sac
- 7- Machine à Coudre Newlong DS9C
- 8- Armoire de Commande Électrique & PLC
- 9- Bande Transporteuse de Sac
- 10- Trémie de Pesage
- 11- Trémie de Stockage de Produit
- 12- Bras de Réglage Haut/Bas de la Bande Transporteuse
- 13- Capteur de Niveau de Trémie

- 1- Product inlet
- 2- Aspiration Outlet
- 3- Sewing Machine Mounting Column
- 4- Product outlet
- 5- Sack Shaking
- 6- Bag Stitching Thread
- 7- Newlong DS9C Sewing Machine
- 8- Electrical Control Panel & PLC
- 9- Sack / Bag Conveyor Belt
- 10- Weighing Hopper
- 11- Product Storage Hopper
- 12- Conveyor Belt Up/Down Adjustment Arm
- 13- Bunker Level Sensor



# Technical Table

Granular Product Packing Machine 25-50 Kg Double Filling Double Spout



**Sediroglu**  
GROUP machine

MODEL MODELE	DIMENSIONS mm.											TECHNICAL FEATURES CARACTERISTIQUES TECHNIQUES			
	A	B	C	D	E	F	G	H	ØI	ØJ	K	Capacity-Capacité 25/50kg	Weights - Poids Kg		Power Supply (VAC) (+5% 10%)
													Net	Gross-Brut	
SE-PRF 25-50	4953	3070	5469	2664	2133	2435	1553	1252	150	100	948	12 - 13 dak, pac	3500	4200	400 VAC 50-60 Hz

# SEDIROGLU GROUP DELIVERS COMPLETE SOLUTIONS ACROSS VARIOUS INDUSTRIES, COMBINING DEEP TECHNICAL EXPERTISE WITH A DIVERSE AND EXTENSIVE PRODUCT RANGE TO MEET A WIDE SPECTRUM OF CUSTOMER NEEDS.

FACING A DEVELOPMENT CHALLENGE? WE PROVIDE THE SOLUTION.  
AT SEDIROGLU GROUP, OUR EXPERIENCED R&D TEAM IS COMMITTED TO CONTINUOUS IMPROVEMENT.  
MANY INDUSTRY INNOVATIONS HAVE ORIGINATED FROM OUR COMPANY.  
WE ARE DRIVEN BY A FORWARD-THINKING MINDSET AND A PIONEERING SPIRIT IN EVERY STEP WE TAKE.

## CONTACT – WORLDWIDE

With 12 branches around the world and marketing teams in over 70 countries, we provide you with outstanding service worthy of a technology leader.

We look forward to hearing from you!

<https://sediroglugroup.com/contact>



## AT YOUR SERVICE 24/7 – OUR VIRTUAL BOOTH

With impressive features like animated shots, clickable hotspots, and rotatable 3D models, we are confident our online presentations will truly impress you.

<https://sediroglugroup.com/products>



## DISCOVER MORE ABOUT THIS PRODUCT

Scan the QR code to access detailed technical specifications, application insights, high-quality visuals, and interactive digital content related to this product.



<https://sediroglugroup.com/products/25-50kg-bagging-systems/granular-product-packing-machine-25-50kg-double-filling-double-spout>

HEAD OFFICE:

**SEDIROGLU GROUP**

Turkey, Çorum

T +90 541 620 03 22

E Mail : [info@sediroglu.com](mailto:info@sediroglu.com)

E Mail : [info@sediroglugroup.com](mailto:info@sediroglugroup.com)

[www.sediroglugroup.com](http://www.sediroglugroup.com)

**Sediroglu**  
GROUP machine